## Maidstone and MHS Tunbridge Wells

Ref: FOI/CAD/ID 3546

------

Please reply to: FOI Administrator Trust Management Maidstone Hospital Hermitage Lane Maidstone Kent ME16 9QQ Email: mtw-tr.foiadmin@nhs.net

29 March 2017

## Freedom of Information Act 2000

I am writing in response to your request for information made under the Freedom of Information Act 2000 in relation to Electrical Materials 2015/2016.

1. Please state what your estimated annual spend is on electrical materials and associated products for the financial year 2015/2016. This might be against the agreement RM3747 - Building Materials and Associated Services, Lot 3 Electrical

2. Where possible please state the suppliers you have bought from and the spend against them.

3. Where possible please state the products bought and the price paid.

1. The total spend on Electrical materials for 2015/16 was £54,701

2. Please see the following list of suppliers. Please note that the amount of individual spend with each supplier is exempt from disclosure under the Freedom of Information Act 2000 Section 43 as its disclosure would, or would be likely to, prejudice the commercial interests of any person (including the public authority holding it).

Regent Electrical Wilts Electrical JNS Electrical Engineering RS Components Elite Power Transmission MGC Lamps All Batteries City Electrical Factors Farnell International Lamps

3. The Trust has estimated that it will cost more than the appropriate limit to consider this part of your request. In order to supply this information it would

mean listing each item and matching up with suppliers in which there are thousands of items to go through. The appropriate limit is specified in regulations and represents the estimated cost of one person spending 3½ working days in determining whether the Trust holds the information, locating, retrieving and extracting the information. Under Section 12 of the Freedom of Information Act 2000 the Trust is not obliged to comply with this part of your request and we will not be processing this part of your request further.