

Project title
Acute and Emergency Medicine
Narratives of health and illness for Healthtalkonline 2012 V1
Cancer and Haematology
Prostate
Familial Prostate Cancer , Epidemiology and Molecular Genetic Studies. UK Genetic Prostate Cancer Study (UKGPCS)
PATCH - A randomised-controlled trial of of transcutaneous oestrogen patches versus LHRH analogues in Prostate cancer.
STAMPEDE - Systematic therapy in advancing or metastatic prostate cancer: Evaluation of Drug efficacy. challenge for the treatment of meteastic Castrate Refractory Prostate Cancer previously treated with docetaxel at inception of primary hormone therapy.
PROMPTS - A Prospective Randomised Phase 111 study of observation Versus Screening MRI and Pre-Emptive Treatment in Castrate Resistant Prostate Cancer Patients with Sinal Metastasis.
ProCaid: An open phase 1/randomised, double-blind phase 11 study in metastatic castration resistant Prostate Cancer of AZD5363 in combination with Docetaxel and prednisolone chemotherapy.
ARAMIS 3104007 ORION - A multicentre, randomised, double-blind, placebo-controlled, phase 111 efficacy and safety study of ODM-201 in men with high risk non-metastatic castration-resistant prostate cancer.
Life after prostate cancer diagnosis
SPARTAN - ARN-509-003 Phase 111 study in men with Non-Metastatic (MU) Castration-Resistant Prostate Cancer
Breast
Evaluating the net effects of extending the age range for breast screening in the NHS breast screening programme in England from 50-70 years to 47-73 years
radiotherapy. A randomised controlled trail of axillary treatment in women with early stage breast cancer who have metastases in one or two sentiel
MAMMO-50: Mammographic surveillance in breast cancer patients aged 50 years and over: a randomised controlled trial
Outcomes in Patients with HER2-Postive Unresectable Locally Advanced or Metastatic Breast Cancer. Protocol ML29659
National case-control study of the aetiology of breast cancer in men
MIANTIA - A Randomized Phase 11 study of Fulvestrant in combination with the dual mTOR inhibitor AZD2014 or Everolimus or Fulvestrant alone in Estrogen receptor-positive advanced or metastatic breast cancer.
PAKT - A phase II, double-blind, randomised, placebo-controlled study of the AKT Inhibitor AZD5363 in combination with Paclitaxel in triple-negative advanced or metastatic breast cancer
What are the real support needs of people who have had surgery for oesophageal cancer but have not used a support group?
DNA Methylation as a predictor for response and progression-free survival in patients with ovarian cancer.
FIRST Registry: Follow-up in Rivaroxaban patients in the setting of thromboembolism
ALTERNATIVE: EGF 114299 a phase III trial to compare the safety and efficacy of lapatinib plus tgrastuzumab plus an aromatase inhibitor (AI) versus trastuzumab plus an AI versus lapatinab plus an AI as first line therapy
PALLET - A phase 11 randomised study evaluating the biological and clinical effects of the combination of palociclib with letrozole as neo adjuvant therapy in post-menopausal women with ER+ primary breast

Lung
PIN - A randomised phase II trial of Olapatinib maintenance versus placebo monotherapy in patients with chemosensitive advanced non-small lung cancer.
EORTC 08114 GEM: Genetics of EGFR mutation study (GEM): A translational study of the EORTC Lung Group STOMIP AZD2281 Small cell lung cancer trial or Olaparib as maintenance programme: a randomised, double-blind, multicentre Phase II trial
Plus Carboplatin and Paclitaxel in Previously Untreated Advanced or Metastatic Squamous Non-Small Cell Lung Cancer (NSCLC)
COMVIAND: A phase II randomised, double blind, placebo-controlled, multicentre study of VS 6063 in Subjects with Malignant Pleural Mesothelioma.
FLAURA-1 - A phase III, Double-Blind, Randomised Study to Assess the Efficacy and Safety of AZD9291 versus a Standard of Care Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor as First-Line Treatment in Patients with Epidermal Growth Factor Receptor
PIT A phase III randomised trial of prophylactic irradiation of tracts in patients with malignant pleural mesothelioma following invasive chest wall intervention
BMS-936558 A Safety Trial of Nivolumab (BMS-936558) in Subjects With Advanced or Metastatic Non-Small Cell Lung Cancer Who Have Progressed During or After Receiving At Least One Prior Systemic Regimen
oesophageal/Gastric
CALM-NET: A Phase 4, Multicentre, Open label, Single Group Exploratory Study to Assess the Clinical Value of Enumeration of Circulating Tumour Cells (CTCs) to Predict Clinical Symptomatic Response and Progression Free Survival in Patients receiving Deep S
CHoPIN - Chemoprevention of premalignant intestinal neoplasia incorporating genetic epidemiology study of oesophageal cancer
GO2 - Alternative Chemotherapy for frail or elderly patients with advanced gastric or oesophageal cancer
CCR3804 PLATFORM: Planning treatment for oesophago-gastric cancer: a randomised maintenance trial.
BETTER: Development of a perioperative isometric-resistance exercise intervention programme (Basic Exercise Training to Enhance Recovery - BETTER) for patients undergoing elective abdominal surgery for
ST03 Upper GI Study: A Randomised Phase II/III trial of peri-operative chemotherapy with or without Bevacizumab in operable adenocarcinoma of the stomach and gastro-oesophageal junction.
Radiotherapy
SCORAD III - A randomised phase III trial of single fraction radiotherapy compared to multifraction radiotherapy in patients with metastatic spinal cord compression
UoM RAPPER - Radiogenomics: Assessment of polymorphisms for predicting the effects of radiotherapy
RADICALS- Radiotherapy and Androgen Deprivation in Combination After Local Surgery.
Lymphoma/Haematology
MCL-Biobank Establishing a Biobank and Database as a National Resource for characterising indolent and aggressive forms of Mantle Cell Lymphoma, an observational study
Phase II randomised evaluation of molecular-guided therapy for diffuse large B-cell lymphoma with bortezomib
RIAltO A randomised investigation of alternative ofatumumab-containing regimens in less fit patients with
PHOENIX - A randomised, Double-blind, Placebo-controlled Phase 3 study of the Bruton's Tyrosine Kinases (BTK) Inhibitor, PCI-32765 (Ibrutinib), in combination with Rituximab, Cyclophosphamide, Doxorubicin, Vincristine, and Prednisone (R_CHOP) in subjects
MDSBio: Molecular and functional characterisation of bone marrow function in normal subjects, myelodysplastic syndromes (MDS), acute myeloid leukaemia (AML) and secondary disorders of
CC-5013-MDS-010 PASS A prospective non-interventional post-authorisation safety study designed as a disease registry of patients with transfusion dependent IPSS low or intermediate-1-risk myelodysplastic syndromes (MDS) and isolated del(5q)
Maple - Molecular Profiling for Lymphoma
pancreatic/gall bladder/liver

ABC-06 A Phase III, randomised, multi-centre, open-label study of active symptom control (ASC) alone or ASC with oxaliplatin/5-FU chemotherapy for patients with locally advanced/metastatic biliary tract cancers previously treated with cisplatin / gemcita
PACIFICO - Purine-alkylator combination in follicular lymphoma immuno-chemotherapy for older patients: a phase III comparison of first-line R-CVP versus R-FC
Myeloma XI - Randomised comparisons in myeloma patients of all ages of thalidomide, lenalidomide and bortezomib combinations and maintenance lenalidomide
ESPAC-4 European study group for pancreatic cancer - Trial 14 Combination versus single agent chemotherapy in resectable pancreatic cancer
Testicular
Evaluating predictive markers of relapse in stage I non-seminomatous testicular germ cell tumours (TE02 + EPIC-Oxford European prospective investigation into Cancer
The UK Genetics of Testicular Cancer Study
Gynaecology
ORCCYD - A randomised open-label study comparing the combination of YONDELIS and DOXIL/CAELYX with DOXIL/CAELYX monotherapy for the treatment of advanced-relapsed epithelial ovarian primary peritoneal or fallopian tube cancer - ET743-OVC-3006
METRO-BIBF Phase II randomised placebo controlled multicentre feasibility study of low dose (metronomic) cyclophosphamide with and without nintedanib (BIBF1120) in advanced ovarian cancer
Groinss-V Groningen international study on sentinel nodes in vulva cancer
PARAGON Phase II study of aromatase inhibitors in women with potentially responsive recurrent/metastatic gynaecological neoplasms
EORTC 55102 - A phase III trial of postoperative chemotherapy or no further treatment for patients with stage I-II medium or high risk endometrial cancer. An ENGOT-EN2-DGCG/EORTC 55102
Head and Neck
Head and Neck 5000
PREDICTR-HNC - Improving treatment selection using Predictive Classifiers of Treatment Response for Head and Neck Cancers and dysplasia
BR14 Phase III trial on concurrent and adjuvant temozolomide chemotherapy in non-1p/19q deleted anaplastic glioma. The CATNON Intergroup trial
Anal
InterAACT - A Multicentre Randomised Phase 11 Advanced Anal Cancer Trial
Urological
POUT: Peri-operative chemotherapy or surveillance in upper tract urothelial cancer
REASSURE-223 - Alpha Emitter Agent in Safety Study in mCRPC population for long-term evaluation. temporary cessation with allowing continuation in the treatment of locally advanced and/or metastatic renal cancer
Colorectal
AB12006 - A prospective, multicentre, randomized, double blind, placebo-controlled, 2-parallel group, phase 3 study to compare the efficacy and safety of masitinib in combination with FOLFIRI (irinotecan, 5-fluorouracil and folinic acid) to placebo in com
FOCUS 4 - Molecular selection of therapy in colorectal cancer: a molecularly-stratified randomised controlled trials programme
Rectal
ARISTOTLE: A phase III trial comparing standard versus novel CRT as pre-operative treatment for MRI defined locally advanced rectal cancer
Other
Add - Aspirin: A phase III double-blind placebo - controlled randomised trial assessing the effects of aspirin on disease recurrence and survival after therapy in common non-metastatic solid tumours.
Thyroid

ION Phase II/III. Randomised trial comparing total thyroidectomy plus TSH suppression with or without radioactive iodine ablation, in low risk patients with well differentiated thyroid cancer. (IoN: Iodine or Not)
Corporate Services
'Pioneers' in the context of the Better Care Fund and the Integrated Care Policy Programme
Critical Care
ISARIC/WHO - Novel Coronavirus Observational Study
Prismaflex Oxris Project
An exploration of the information General Practitioner (GP) practice staff require to successfully co-ordinate the rehabilitation of critically ill patients after hospital discharge
PREVENTT - A randomised double-blind controlled phase III study to compare the efficacy and safety of intravenous ferric carboxymaltose with placebo in patients with anaemia undergoing major open abdominal surgery. Ferric Carboxymaltose (Ferinject)
Diagnostic, Therapies and Pharmacy
Occupational Therapy
National Guidance for measuring assistive technology
Pathology
Visual search in peripheral blood film morphology Effects of Expertise
LuCID: Longitudinal European Clostridium difficile Infection Diagnosis
Survey of the prevalence of abnormal PrP using appendix tissue. A collection of up to 100,000 stored appendix samples will be retrieved from the archives of participating histopathology departments of hospitals throughout England. These samples will be un
SPLDv2 (Database Study)
Pharmacy
What do hospital pharmacy staff do? A study of the differences in perception of the role of hospital pharmacists and pharmacy technicians by different healthcare professionals and policy makers.
Physiotherapy
TRIO-physio - Targeted Rehabilitation to Improve Outcome after total knee replacement - A Physiotherapy
Obstetrics, Gynaecology and Sexual Health
Surveillance of near-miss maternal morbidity using the UK Obstetric Surveillance System (UKOSS)
IMPRESS 2: Understanding factors behind late testing and diagnosis of HIV (IMPRESS 2) Project
A study of registered midwives' perceptions and attitudes towards professional regulation and legal frameworks and their impact on practice
HEALTH - A multi-centre randomised controlled trial comparing laparoscopic supra-cervical hysterectomy with second generation endometrial ablation for the treatment of heavy menstrual bleeding.
Paediatrics
ADDRESS - 2 (Children) An incident and high risk type 1 diabetes research cohort after diagnosis diabetes research support system-2
Genetics of Human Epilepsy
SIFT - Speed of Increasing milk Feeds Trial
ELFIN: A multi-centre randomised placebo-controlled trial of prophylactic enteral Lactoferrin supplementation to prevent late-onset invasive infection in very preterm infants.
FADES - Feeding and Autoimmunity in Down's Syndrome Evaluation Study.
Modelling neonatal care pathways: consequences for the future
UK Paediatric Chronic Immune Thrombocytopenia (ITP) Registry

Cystic Fibrosis Registry.
Mitogent Study V1- Gentamicin, genetic variation and deafness in preterm children
UKALL-2011 United Kingdom National Randomised Trial for Children and Young Adults with Acute Lymphoblastic Leukaemia and Lymphoma 2011
Specialty Medicine
Cardiology
e-ULTIMASTER REGISTRY: Prospective, Single-arm, Observational Registry to further Validate Safety and Efficacy of the Ultimaster DES in unselected patients representing everyday clinical practice.
SADS: Genetic Testing for Sudden Arrhythmic Death Syndrome and the British Coronial System
Colorectal
Understanding elective colorectal practice - national questionnaire. PIC
Diabetes
A randomised clinical trial to evaluate the effectiveness of a multi-modal intervention in frail and prefrail older people with type 2 diabetes on frailty and quality of life: The MID-Frail Study
ADDRESS - 2 - an incident and high risk type 1 diabetes research cohort after diabetes diagnosis research support system-2
Gastroenterology
PANTS : Investigation of the clinical serological and genetic factors that determine primary non-response, loss of response and adverse drug reactions to Anti-TNF drugs in patients with active luminal Crohn's Disease
PRED4: Predicting Serious Drug Side Effects in Gastreterology
Medicine
PBC Genetics Study - Investigation of the Genetic and Molecular Pathogenesis of Primary Biliary Cirrhosis.
Genetics of Anklyosing Spondylitis
SCAD - Spontaneous Coronary Artery Dissection study: vascular pathophysiology, epidemiology and genetics.
The UK Calciphylaxis Study
Neurology
NODDI Neurite orientation dispersion and density imaging a new approach to understanding cellular pathology in Motor Neurone Disease
Is the medial temporal lobe functionality heterogeneous for familiarity and recollection?
CODES - Cognitive behavioural therapy vs standardised medical care for adults with Dissociative non-Epileptic Seizures: A multicentre randomised controlled trial
Using TMS to predict treatment effectiveness in epilepsy
Smile - Self-management education for adults with epilepsy
Brain Function in Rolandic Epilepsy - PIC Study
Respiratory
LASER: Laminator Airflow in Severe Asthma for Exacerbation Reduction. A multi-centre, randomised, double-blind, parallel group trial of the effectiveness of the nocturnal use of a temperture controlled Laminator Airflow (LTA) Device (Airsonett) in adults
EMBARC The European Bronchiectasis Registry
Rheumatology

Act-Move: Open-label, phase IIIb study to evaluate the efficacy and safety of subcutaneous (SC) Tocilizumab monotherapy or combination therapy with methotrexate (MTX) or other non-biologic disease modifying anti-rheumatic drugs (DMARDs) in patients with
BSRBR: Prospective observational study of the long term hazards of anti-TNF therapy in Rheumatoid Arthritis
Sequencing based analysis of Systemic Lupus Erthematosus - SLE
BILAG Biologics Prospective Cohort: The use of novel biological therapies in the treatment of systemic lupus erythematosus (SLE). Lay Title: Long-term safety of new biologic treatments in the management of SLE
IMWTR - A pragmatic randomised controlled open trial of the effect of intensive management (IM) compared with standard care (SC) on re mission rates at 12 months in Rheumatoid Arthritis patients with intermediate disease activity
ASCORE - Long-term experience with Abatacept SC in routine clinical practice.
B5371002: A Phase 3 Randomised, Double-Blind Study assessing the efficacy and safety of PF-06438179 and Infliximab in combination with Methotrexate in subjects with moderately to severely active Rheumatoid Arthritis who have had an inadequate response to
UKPSSR - UK Primary Sjogren's Syndrome Registry
characteristics of interstitial lung disease (ILD) in patients with and without proven connective tissue diseases (CTDs).
UKIVas: UK Vasculitis cohort to analyse variations in disease susceptibility and outcomes
BSRBR-AS: British Society for Rheumatology Biologics Registers - Ankylosing Spondylitis
APIPPRA - Arthritis Prevention In the Pre-clinical Phase of RA with Abatacept
Surgery
Colorectal
Anterior Resection Syndrome following Sphincter preserving surgery.
Ophthalmology
CLARITY: Clinical Efficacy and Mechanistic Evaluation of Aflibercept for Proliferative Diabetic Retinopathy
PIMS: Positioning In Macular Hole Surgery Trial - A multicentre interventional comparative randomised controlled clinical trial comparing face-down positioning, with an inactive face-forward position on the outcome of surgery for large macular holes.
TAPAS - Intravitreal Tissue Plasminogen Activator (tPA), Perfluoropropane (C3F8) and Ranibizumab for Neovascular Age-Related Macular Degeneration and Submacular haemorrhage (TAPAS):A Randomized, Double-Masked, Controlled, Factorial, Feasibility Study
POSITIVE - A randomised controlled trial comparing the impact of problem-solving treatment and usual care on wellbeing, functional mobility and quality of life of blind and partially sighted people
Monoprost compared with Lumigan in POA glaucoma/ocular hypertension
STAR: StereoTactic radiotherapy for wet Age-Related macular degeneration: Randomised, double-masked, sham-controlled, clinical trial comparing low-voltage X-ray irradiation with as needed bevacizumab, to as needed bevacizumab monotherapy.
Enface Optical Coherence Tomography Imaging of Eyelid Basal Cell Carcinomas
TAGS - Treatment of Advanced Glaucoma Study. A multicentre RCT of current best medical care in the NHS (a stepped approach of medications) versus primary surgery.
ASCOT: A phase 3 multicentre double-masked randomized controlled trial of adjunctive intraocular and periocular steroid (triamcinolone acetonide) versus standard treatment in eyes undergoing vitreoretinal surgery for open globe trauma.
Trauma & Orthopaedics
OVIVA Study: Oral versus Intravenous Antibiotics for Bone and Joint Infections Trial: Randomised, open label study of oral versus intravenous treatment for bone and joint infections requiring prolonged antibiotic treatment: Multi-Centre Study

SWIFFT: Scaphoid Waist Internal Fixation for Fractures Trial
GWAS in children with DDH
Urology
EGFR-C: Accuracy of glomerular filtration rate (GFR) estimation using creatinine and cystatin C and albuminuria for monitoring disease progression in patients with stage 3 chronic kidney disease: prospective longitudinal study in a multi-ethnic population
OPEN Trial: Open urethroplasty versus endoscopic urethrotomy
Neurology
IGOS - International Guillain-Barre Syndrome Outcome Study

