Maidstone and Tunbridge Wells

NHS Trust

Ref: FOI/GS/ID 4757

Please reply to:

FOI Administrator Trust Management Maidstone Hospital Hermitage Lane Maidstone Kent ME16 9QQ

Email: mtw-tr.foiadmin@nhs.net

06 July 2018

Freedom of Information Act 2000

I am writing in response to your request for information made under the Freedom of Information Act 2000 in relation to Clinical systems.

You asked:

I am analysing information on hospital trust and would be obliged if you would provide as much of the following information as possible under an FOI request. Wherever possible, please include the name and the version number of all systems:

- o PAS
- o EPR
- o Emergency Department Information System
- o Radiology Information System
- o PACS
- o Do you use NHS Mail □ Or other email solutions used
- o Clinical Noting
- o Operating Systems

 By Desktop and By Server
- o Anti-Virus Vendor Sophos AV
- o Clinical Decision Support Systems
- o Other key clinical systems

If you know your current EPR level, or CMDI score please can you include this as well, and any supporting information.

Trust response:

- o PAS Allscripts (2016.1 CU8)
- o EPR We do not have an EPR
- o Emergency Department Information System EMIS Health Symphony
- o Radiology Information System Centricity RIS v5.11
- o PACS Centricity PACS V4.0, UV v6, ZFP v6
- o Do you use NHS Mail \square Or other email solutions used Yes we use NHSmail
- o Clinical Noting Nervecentre for by the bed observations. Allscripts for clinical letters

- o Operating Systems □ By Desktop and By Server Desktop: Windows XP,
- 7, 8 & 10 (Professional & Enterprise).
- o Anti-Virus Vendor Sophos AV
- o Clinical Decision Support Systems No system installed
- o Other key clinical systems Under Section 21 of the Act we are not required to provide information in response to a request if the information is already reasonably accessible to you. The information you requested is available from the trust website using the following link:

http://www.mtw.nhs.uk/wp-content/uploads/2018/03/Trust-systems.-210218.pdf