South East England General Histopathology EQA Scheme

(CPA)

Round ZZ Final Case Analyses

Cases 623 to 634

Circulated September - October 2015

130 responses (91%)

Prepared December 2015

Authorised by:

Junt

Prof J Schofield

Date: 18th December 2015

With thanks to those who contributed to this round:

TRUSTS	CPA/ISO NUMBERS
Kingston Hospital NHS Foundation Trust	912
Royal Surrey County Hospital NHS Foundation Trust	1242
Maidstone & Tunbridge Wells NHS Trust	3060
Epsom & St Helier University Hospital NHS Trust	704
Guys and St Thomas' NHS Foundation Trust	800
Basildon & Thurrock University Hospitals NHS Foundation Trust	1157
King's College Hospital NHS Foundation Trust	1873
Frimley Park Hospital NHS Foundation Trust	1214
Mid Essex Hospital Services NHS Trust	1031
Lewisham & Greenwich NHS Trust	190
Ashford & St Peter's NHS Foundation Trust	



Diagnostic category: GI Tract

Clinical: F61. Microcytic anaemia. Oesophagus normal. Gastritis. Duodenum normal.

Specimen : Duodenal biopsy

Macro : Four pale fragments, the largest is up to 3mm.

	Final Merges	Score
1	Giardia	10.00

Most popular diagnosis: Giardia

Reported Diagnosis: Giardiasis

Click here to view digital image

Diagnostic category: GU

Clinical : 49F. Laparoscopic nephrectomy for ruptured tumour left kidney.

Specimen : Left kidney

Macro : Kidney, 150 x 60 x 50mm with attached adrenal gland, 45 x 25 x 12mm and proximal ureter, 45mm long. Slicing reveals a relatively well-circumscribed tumour in the lower pole which has a variegated tan, haemorrhagic cut surface and measures 65 x 65 x 45mm. Focal rupture of the surface capsule by tumour is identified. Immuno: The tumour had the following immunoprofile: SMA (+), CALPONIN (+), HMB45 (+), Melan A (+), S100 (-), MNF116 (-), AE1/3 (-)

	Final Merges Angiomyolipoma	Score
1	Angiomyolipoma	9.92
2	Sarcomatoid RCC	0.08

Most popular diagnosis: Angiomyolipoma

Reported Diagnosis: Angiomyolipoma

Click here to view digital image

Diagnostic category: Breast

Clinical : F62. Left breast mass. Previous ipsilateral breast cancer.

Specimen : Breast

Macro : Skin ellipse 25 x 10mm with underlying fatty tissue 30mm, weighing 4.5g. Clips for radial margins and inked as per protocol (superior-black, inferior-blue, medialorange, lateral-violet and deep-green). Representative section sent. Immuno: S100 protein positive in the lesional cells.

	Final Merges	Score
1	Granular cell myoblastoma / tumour	9.86
2	Very good response to chemotherapy	0.06
3	Sclerosing / apocrine adenosis / radial scar	0.08

Most popular diagnosis: Granular cell myoblastoma / tumour

Reported Diagnosis: Granular cell tumour

Click here to view digital image

Diagnostic category: Skin

Clinical : M33. Cystic lesion dorsum right big toe.

Specimen : Skin excision

Macro : Smooth surfaced glistening nodule 12mm diameter. Solid - no cyst.

	Final Merges	Score
1	Angio(leio)myoma	9.41
2	Fibroma of tendon sheath	0.16
3	Leiomyoma	0.43

Most popular diagnosis: Angio(leio)myoma

Reported Diagnosis: Angioleiomyoma

This case has been excluded

Case Number: 627

<u>Click here to view digital image</u>

Diagnostic category: Gynae

Clinical : F42. Menorrhagia, Polypoidal endometrium.

Specimen : Endometrial curetting

Macro: Moderate tan pieces of tissue together 25mm.

Final Merges	Score
Metaplasia and secretory endometrium	0.86
Metaplasia, polyp and hyperplasia	1.72
Metaplasia with complex hyperplasia	0.38
Complex hyperplasia with squamous morules	1.77
Metaplasia with atypical hyperplasia	2.17
Complex hyperplasia without atypia	1.11
Squamous metaplasia	0.11
Atypical polypoid adenomyoma	1.57
Atyp hyperplasia up to endometroid ca / carcinoma	0.23
Adenomyomatous polyp of endometrium	0.08
	Metaplasia and secretory endometriumMetaplasia, polyp and hyperplasiaMetaplasia with complex hyperplasiaComplex hyperplasia with squamous morulesMetaplasia with atypical hyperplasiaComplex hyperplasia without atypiaSquamous metaplasiaAtypical polypoid adenomyomaAtyp hyperplasia up to endometroid ca / carcinoma

Most popular diagnosis: Metaplasia with atypical hyperplasia

Reported Diagnosis: Atypical polypoid adenomyoma fragments within secretory endometrium

This case has been excluded

Click here to view digital image

Diagnostic category: Miscellaneous

Clinical : M71. Lesion right little finger.

Specimen : Lesion right little finger

Macro : A nodule of soft grey tissue 20mm in greatest dimensions <u>Immuno:</u> SMA and Vimentin positive. MNF116 and desmin negative.

	Final Merges Glomus tumour	Score
1	Glomus tumour	10.00

Most popular diagnosis: Glomus tumour

Reported Diagnosis: Benign glomangioma

Click here to view digital image

Diagnostic category: Respiratory

Clinical : F51. Left lower lobe - lung nodule wedged out for histology. Previous total nephrectomy (2002), but no clinical information was given about this tumour or its histological type.

Specimen : Lung nodule

Macro : Lung nodule wedge resection: weighing 23 grams pre-inflation and measuring 5.8 x 4.5 x 3cm. There is depressed pale yellow area on the pleural surface and slicing this section reveals a firm pale yellow tumour measuring 3cm in maximum. <u>Immuno:</u> These cells are arranged in small nests and express vimentin and EMA and are negative for AE1/AE3, CK7, CK20, TTF1, S100, HMB45, Melan A, synaptophysin and chromogranin. There is only focal patchy staining with CD10.

	Final Merges	Score
1	Metastatic RCC	9.78
2	Primary clear cell carcinoma of lung	0.06
3	Epithelioid malignant mesothelioma (clear cell type)	0.08
4	Metastatic carcinosarcoma	0.08

Most popular diagnosis: Metastatic RCC

Reported Diagnosis: Metastatic RCC

Click here to view digital image

Diagnostic category: Lymphoreticular

Clinical : F37. Left cervical lymphadenopathy. ?lymphoma

Specimen : Lymph node

Macro: Lymph node measuring 2 x 1.5 x 1.5cm

	Final Merges	Score
1	Kikuchi's / necrotising lymphadenopathy	8.98
2	NHL	0.08
3	Cat scratch	0.94

Most popular diagnosis: Kikuchi's / necrotising lymphadenopathy

Reported Diagnosis: Kikuchi's lymphadenitis

Click here to view digital image

Diagnostic category: Endocrine

Clinical : M66. Left upper parathyroid. Primary hyperparathyroidism.

Specimen : Parathyroid

Macro : Lobulated fatty tissue 3.9gms measuring $40 \times 18 \times 8$ mm. Cut surface is yellow and homogeneous.

	Final Merges	Score
1	Lipoadenoma / parathyroid adenoma	9.14
2	Chief Cell / parathyroid hyperplasia	0.82
3	Hamartoma	0.04

Most popular diagnosis: Lipoadenoma / parathyroid adenoma

Reported Diagnosis: Parathyroid Lipoadenoma

This case has been excluded

Case Number: 632

<u>Click here to view digital image</u>

Diagnostic category: GI Tract

Clinical : F71. Right orbital mass and abnormal liver function tests.

Specimen : Liver biopsy

Macro: Two brown cores longer 19mm.

	Final Merges	Score
1	Extramedullary haemopoiesis	2.95
2	Amyloid	0.01
3	Other / Lymphoproliferative lesion / cirrhosis	0.29
4	Lymphoma / retinoblastoma / melanoma. Needs immuno	1.18
5	Leukaemia / Lymphoma	4.69
6	Hepatitis	0.26
7	Hairy Cell leukaemia	0.19
8	Viral hepatitis / Infectious mononucleosis	0.24
9	Parasitic infection	0.03
10	No lesion visible / normal liver	0.16

Most popular diagnosis: Leukaemia / Lymphoma

Reported Diagnosis: Extramedullary haemopoiesis

This case has been excluded

<u>Click here to view digital image</u>

Diagnostic category: Educational

Clinical : F53. Right iliac fossa mass. No colonic primary on colonoscopy. Previous appendicectomy for appendicitis.

Specimen : Right hemicolectomy

Macro: The caecal mesentery contained a firm, lobulated mass measuring 60 x 50 x 45mm. The cut surface was firm, white with a whorled appearance in places. This tumour appeared to be adherent to the terminal ileal and caecal wall. Immuno: The tumour was focally positive for SMA and beta-catenin, and was negative for S100 protein, desmin, H-caldesmon, CD34, CD117, AE1/AE3, EMA, Bcl-2 and CD68. MIB-1 <5%

Suggested diagnoses:

Fibromatosis Desmoid type fibromatosis Intra-abdominal desmoplastic fibromatosis Mesenteric fibromatosis Normal small bowel mucosa-The serosa shows a spindle cell proliferation which appears fibrous?fibromatosis GIST Desmoid tumour Fibromatosis/reactive fibroblastic proliferation post surgery Fibromatosis – deep Histiocytic sarcoma Myofibroblastic tumour Inflammatory myofibroblastoma Intra-abdominal Desmoid Tumour Retroperitoneal fibromatosis STUMP Leiomyoma Inflammatory MFH Solitary fibrous tumour	Hesmoplastic fibromatosis hatosis vel mucosa-The serosa cell proliferation which iibromatosis ctive fibroblastic proliferation eep na imour ofibroblastoma Desmoid Tumour bromatosis	
---	---	--

Reported Diagnosis: Intra-abdominal/mesenteric fibromatosis.

EDUCATIONAL CASE

Case Number: 634

Click here to view digital image

Diagnostic category: Educational

Clinical : M74. ? SCC scalp

Specimen : Skin of scalp

Macro : Ellipse of skin 27 x 25 x 5mm with black nodule 30 x 30mm. Immuno: Foci of regression. CD68 +ve. AE1/3, CK5, S100, Desmin & CD34 negative.

Suggested diagnoses:

Atypical fibroxanthoma	Intraabdominal desmoid tumour	
Melanoma		
Epithelioid angiosarcoma		
Hemosiderotic Fibrous Histiocytoma		
Traumatised and ulcerated atypical		
fibroxanthoma		
Malignant melanoma		
Ulcerated atypical fibroxanthoma		
AFX		
Superficial undifferentiated pleomorphic		
sarcoma		
Atypical fibrous histiocytoma		
Angiosarcoma		
Ulcerated AFX		
Atypical fibro-xanthoma, spindle cell variant		
Angiosarcoma		
Benign; Epithelioid fibrous histiocytoma		
CD68+melanoma		
Spindle cell melanoma v atypical		
fibroxanthoma		
Fibrous histiocytoma (aneurysmal)		
Poorly differentiated angiosarcoma		
Epithelioid angiosarcoma		
Histiocytic tumour ? malignant		
Spindle cell SCC		
Histiocytoma		
Atypical fibrohistiocytoma		
Spindle cell type of AFX		
Angiosarcoma but immuno odd		

Reported Diagnosis: Atypical Fibroxanthoma